

STORM DOORS



home

[we make front doors better]



www.LARSONdoors.com



Adding a LARSON® storm door improves energy efficiency of the entryway by up to 80%, reduces maintenance needs, and helps the entry door perform better.

Storm Doors for Every Home

LARSON® storm doors are available in styles and ventilating options to make your home more comfortable. Choose from Screen Away® retractable screens that disappear when not in use or convenient built-in screen options.

Consider Low-E

Several storm doors are available with Low-E glass. Low-E (low emissivity) glass contains an extremely durable coating that minimizes the amount of infrared energy that passes through without compromising the amount of visible light that shines in. Low-E glass reduces interior fading and has a dramatic impact on the comfort of your home.

The Low-E Advantage



Keep rooms warmer in the winter by minimizing heat loss.



Keep rooms cooler in the summer by reflecting the sun's heat.



U.S. Department of Energy recommends Low-E to improve energy efficiency.

Protection

Storm doors protect your entry door and provide an additional layer of security between your home and unwelcome guests.

Installation

The EasyHang® installation system requires no cutting and includes one-step hanging with pre-drilled placement holes, adjustable height for an exact fit, and Reversa-Hinge for right or left mounting. The easy-to-follow instructions keep it simple.



Learn more

Visit us at LARSONdoors.com for a comprehensive list of products available to make your home more comfortable.



The Convenience of Screen Away®


Our top performing wood core retractable screen storm doors include features like magnetic weatherstrip that seals tight like a refrigerator for increased energy efficiency. Most doors include your choice of handle finish.




370-81



830-82
830-85
830-80




691-52
691-55
691-90



356-52
356-60

Durable Aluminum Frame

1-3/8" thick frame is maintenance free and includes heavy-duty weatherstrip. Includes designer screw covers that conceal exterior screws. Available with a brushed nickel or brass lever.



MODEL	SIZE	CUSTOM	COLOR
370-81 Color-Match Lever	32" x 81" 36" x 81" 30" x 81"		White, Almond
830-82 Brushed Nickel 830-85 Aged Bronze 830-80 Brass	32" x 81" 36" x 81" 34" x 81"	✓	White, Almond, Sandstone, Brown
691-52 Brushed Nickel 691-55 Aged Bronze 691-90 Brass	32" x 81" 36" x 81"	✓	White, Sandstone, Brown
356-52 Brushed Nickel 356-60 Brass	32" x 81" 36" x 81"		White

MEASURE YOUR OPENING


Mark measurements and bring them to any LARSON® retailer.

- A
width

- B
width

- C
width

- D
height



NOTE: 1" wide by 1" deep mounting surface is recommended to properly install a LARSON Storm Door.

Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29 7/8" to 30 3/8"	80" to 81"
32" x 81"	31 7/8" to 32 3/8"	
34" x 81"	33 7/8" to 34 3/8"	
36" x 81"	35 7/8" to 36 3/8"	



Size availability varies by model.

CUSTOM SIZES available in select models.

Most LARSON doors can be mounted with left or right hinging.





Habitat
for Humanity®

Proud cornerstone partner with
Habitat for Humanity International.

™ Trademark, LARSON Manufacturing Company, Brookings, SD, U.S.A. © 2019
Larson Manufacturing Company. Printed in the U.S.A. LARSON reserves the right
to alter or discontinue any model, specification, warranty or price without notice.
Door colors shown are approximate; actual color may vary. 09502100

www.LARSONdoors.com